

PH#: 941-747-4151 4455 18th St. East, Bradenton, FL 34203 barriers@aerflo.com

HazMat Sock/Net Boom #HZ510SN - 5" x 10', 4 booms/package



Contain and absorb large-volume spills.

- Strong mesh outer sleeve encases a poly sock skin filled with 100% polypropylene filler (most chemically compatible)
- Color-coded in hi-viz yellow for quick identification
- Durable, easy-to-use connectors link Sock/Net Booms together to create a containment system big enough to handle almost any size spill
- A nylon rope and sturdy hardware ensure durability and easy retrieval
- Note: Ideal for use with battery acid but not compatible with higher concentrations of sulfuric acid
- Note: Actual color may vary slightly

HZ510SN Specifications

Dimensions: ext. dia. 5" x 10' L **Shipping** 20" W x 23" L x 20" H

Dimensions:

Sold as: 4 booms per package
Color: Yellow Filler/Yellow Sleeve
Composition: Polypropylene Filler/Polyester

Netting/Plated-Steel Hardware

Absorbency: Up to 23.3 gal. per package Up to 5.8 gal. per boom

Weight: 22 lbs.
per Pallet: 20
Incinerable: Yes
Ship Class: 175

Metric Equivalent Specifications

Dimensions: ext. dia. 12.7cm x 3m L

Shipping 50.8cm W x 58.4cm L x 50.8cm H

Dimensions:

Absorbency: Up to 88.2 L per package
Absorbency per: Up to 22 L per boom

Weight: 10 kg

Regulations and Compliance:

40 CFR 263.31 - Transporters, "must clean up any hazardous waste discharge that occurs during transportation...so that the hazardous waste discharge no longer presents a hazard to human health or the environment."

40 CFR 122.26 - Facilities must have a detailed plan in place to prevent illegal discharge of pollutants into waterways.

40 CFR 112.7(c)(1) - Facilities must have "appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course."

33 CFR 154.1047(c)(2) - Concerning navigation and navigable waters, a facility which handles, stores or transports Group V petroleum oils must identify response plan resources such as containment booms and other methods.